



**DISPOSITIVI PROFESSIONALI
ASSOLUTAMENTE UNICI**



ThinkBook combina lo stile e l'esperienza utente dei dispositivi consumer con la sicurezza e il supporto di livello professionale di ThinkPad.

ThinkBook 13s G2 ITL

Smarter
technology
for all

Lenovo

Progettato per i professionisti moderni, questo notebook eccezionalmente elegante è perfetto per produttività e mobilità. Con soli 1,26 kg di peso nonostante il telaio in metallo di alta qualità, è facile da trasportare ovunque, in ufficio e fuori. Tuttavia, i bordi ultrasottili offrono ampio spazio sullo schermo per la pratica visualizzazione. I potenti processori Intel Core di undicesima generazione, insieme alla piattaforma Intel Evo (su alcune configurazioni selezionate) e alle schede grafiche Intel Iris Xe, permettono ai lavoratori mobili di affrontare con successo i carichi di lavoro di ogni giorno.



MOTIVI PER L'ACQUISTO


Lo schermo WQXGA (2560 x 1600) da 33,78 cm (13,3") produce immagini cristalline con dettagli sorprendenti, mentre il formato 16:10 permette di visualizzare più elementi con meno attività di scorrimento. Caratteristiche come lo schermo touch opzionale, il lettore di impronte digitali integrato nel pulsante di accensione e la batteria con autonomia per l'intera giornata arricchiscono l'esperienza simile a quella su uno smartphone.

Vanta molte caratteristiche innovative: gli utenti possono accendere il dispositivo semplicemente aprendo il coperchio, godere di un output video migliore per la massima qualità delle immagini o sfruttare la funzionalità di cancellazione smart dei rumori per assicurare suoni cristallini durante le chiamate.

Le applicazioni preinstallate sono ridotte al minimo, il che allunga la durata della batteria e la reattività del dispositivo ai comandi dell'utente, consentendo anche distribuzioni più rapide da parte degli amministratori IT.



FORNITECNICA SRL
fornitecnica.com



ThinkBook 13s G2 ITL

SPECIFICAZIONI

Processore	up to 11th Gen Intel Core i7 processor
Sistema operativo	Powered by Windows 10 Pro
Schermo	13.3" screen, WUXGA (1920x1200), IPS, 1000:1 contrast ratio, 300nits, 100% sRGB 13.3" screen, WQXGA (2560x1600), IPS, 1000:1 contrast ratio, 300nits, 100% sRGB 13.3" screen, WQXGA (2560x1600), IPS, 1500:1 contrast ratio, 300nits, 100% sRGB 13.3" screen, WQXGA (2560x1600), IPS, 1500:1 contrast ratio, 300nits, 100% sRGB, touch
Touchscreen	optional touchscreen on WQXGA model
Grafica	Intel Iris Xe Graphics in processor
Memoria	up to 16GB DDR4-4266
Archiviazione	up to 512GB M.2 PCIe NVMe SSD 256GB M.2 PCIe NVMe SSD
Audio	2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones
Batteria†	up to 12.1hrs (56Wh)
Adattatore di alimentazione	Uno dei seguenti 65W USB-C 65W USB-C Slim Wall-mount
telecamera	720p with ThinkShutter
Tastiera	spill-resistant, backlit with multi-media function keys, Precision TouchPad
Dimensioni	Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")
Peso	from 1.26kg (2.78lb)

CERTIFICAZIONI ECOLOGICHE

Energy Star 8.0, TUV Low Blue Light certified

CONNETTIVITÀ

Porte I/O	Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole
WLAN + Bluetooth	11ax, 2x2 + BT5.1
Stazione di espansione	Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions

Le informazioni qui presentate possono rappresentare le configurazioni massime possibili per questo prodotto, ma non corrispondono necessariamente a quelle disponibili nella tua area geografica. Chiedi al tuo rappresentante o verifica le specifiche per numeri parte specifici nella tua area geografica. † In base ai test con MobileMark 2014. La durata della batteria varia in modo significativo in base alle impostazioni, all'utilizzo e ad altri fattori. ©2020 Lenovo. Tutti i diritti sono riservati. Questi prodotti sono disponibili fino a esaurimento delle scorte. Lenovo non è responsabile di eventuali inesattezze delle immagini o di errori tipografici. Lenovo, il logo Lenovo, ThinkPad, ThinkCentre, ThinkStation e

ThinkVision sono marchi o marchi registrati di Lenovo. I nomi di prodotti e servizi di terze parti possono essere marchi di terzi. A seconda di vari fattori, quali la capacità di elaborazione delle periferiche, gli attributi file, la configurazione del sistema e gli ambienti operativi, l'effettiva velocità di trasferimento dei dati dei connettori USB varia e in genere è inferiore agli standard pubblicati.

SICUREZZA E PRIVACY

Letture di impronte digitali
ThinkShutter camera privacy cover
Kensington Nano security slot

Consigliato per questo dispositivo



Cuffie stereo USB Lenovo 100

Cuffie stereo USB on-ear. Plug-and-play con connettore USB-A.

Microfono ad archetto rotante con cancellazione passiva del rumore per un audio più chiaro durante le chiamate VoIP

Design leggero con padiglioni auricolari in pelle e memory foam per un comfort che dura tutto il giorno.



Dock ThinkPad Thunderbolt 3 di seconda generazione

Compatibile con notebook con tecnologia USB-C e Thunderbolt

Supporta fino a tre schermi 4K per un'esperienza video ottimale

Trasferimento dati a velocità fino a 40 Gbps con 5 connettori USB 3.1 e 1 Thunderbolt downstream



Estensioni di garanzia

Acquista periodi di garanzia aggiuntivi da 1 a 5 anni

Acquista in qualsiasi momento, contestualmente o successivamente all'acquisto del dispositivo

Assistenza on-site opzionale

ThinkBook 13s G2 ITL

Confronta numeri parte

SPECIFICAZIONI	20V90003IX	20V90004IX	20V90005IX	20V9003DIX
Processore	Intel Core i5-1135G7 (4C / 8T, 2.4 / 4.2GHz, 8MB)	Intel Core i7-1165G7 (4C / 8T, 2.8 / 4.7GHz, 12MB)	Intel Core i5-1135G7 (4C / 8T, 2.4 / 4.2GHz, 8MB)	Intel Core i5-1135G7 (4C / 8T, 2.4 / 4.2GHz, 8MB)
Sistema operativo	Windows 10 Pro 64, Italian / English	Windows 10 Pro 64, Italian / English	Windows 10 Pro 64, Italian / English	Windows 10 Pro 64, Italian / English
Schermo	13.3" WUXGA (1920x1200) IPS 300nits Anti-glare, 100% sRGB, Dolby Vision	13.3" WUXGA (1920x1200) IPS 300nits Anti-glare, 100% sRGB, Dolby Vision	13.3" WUXGA (1920x1200) IPS 300nits Anti-glare, 100% sRGB, Dolby Vision	13.3" WQXGA (2560x1600) IPS 300nits Anti-glare, 100% sRGB, Dolby Vision
Grafica	Integrated Intel Iris Xe Graphics	Integrated Intel Iris Xe Graphics	Integrated Intel Iris Xe Graphics	Integrated Intel Iris Xe Graphics
Memoria	8GB Soldered LPDDR4x-4266	16GB Soldered LPDDR4x-4266	16GB Soldered LPDDR4x-4266	8GB Soldered LPDDR4x-4266
Archiviazione	256GB SSD M.2 2242 PCIe 3.0x4 NVMe	512GB SSD M.2 2242 PCIe 3.0x4 NVMe	512GB SSD M.2 2242 PCIe 3.0x4 NVMe	256GB SSD M.2 2242 PCIe 3.0x4 NVMe
Audio	2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones	2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones	2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones	2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones
Batteria[†]	Integrated 56Wh	Integrated 56Wh	Integrated 56Wh	Integrated 56Wh
Adattatore di alimentazione	65W USB-C	65W USB-C	65W USB-C	65W USB-C
telecamera	720p with ThinkShutter	720p with ThinkShutter	720p with ThinkShutter	720p with ThinkShutter
Tastiera	Backlit, Italian	Backlit, Italian	Backlit, Italian	Backlit, Italian
Dimensioni	Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")	Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")	Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")	Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")
Peso	from 1.26kg (2.78lb)	from 1.26kg (2.78lb)	from 1.26kg (2.78lb)	from 1.26kg (2.78lb)
CONNETTIVITÀ				
Porte I/O	Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole	Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole	Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole	Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole
WLAN + Bluetooth	11ax, 2x2 + BT5.1	11ax, 2x2 + BT5.1	11ax, 2x2 + BT5.1	11ax, 2x2 + BT5.1
Stazione di espansione	Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions	Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions	Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions	Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions
SICUREZZA E PRIVACY	Fingerprint Reader Touch Style ThinkShutter camera privacy cover Kensington Nano security slot	Fingerprint Reader Touch Style ThinkShutter camera privacy cover Kensington Nano security slot	Fingerprint Reader Touch Style ThinkShutter camera privacy cover Kensington Nano security slot	Fingerprint Reader Touch Style ThinkShutter camera privacy cover Kensington Nano security slot
FINE DEL SUPPORTO	2027-04-30	2027-04-30	2027-04-30	2027-04-30
GARANZIA BASE	1-year, Depot	1-year, Depot	1-year, Depot	1-year, Depot

[†] In base ai test con MobileMark 2014. La durata della batteria varia in modo significativo in base alle impostazioni, all'utilizzo e ad altri fattori. ©2020 Lenovo. Tutti i diritti sono riservati. Questi prodotti sono disponibili fino a esaurimento delle scorte. Lenovo non è responsabile di eventuali inesattezze delle immagini o di errori tipografici. Lenovo, il logo Lenovo, ThinkPad, ThinkCentre, ThinkStation e ThinkVision sono marchi o marchi registrati di Lenovo. I nomi di prodotti e servizi di terze parti possono essere marchi di terzi. A seconda di vari fattori, quali la capacità di elaborazione delle periferiche, gli attributi file, la configurazione del sistema e gli ambienti operativi, l'effettiva velocità di trasferimento dei dati dei connettori USB varia e in genere è inferiore agli standard pubblicati.

ThinkBook 13s G2 ITL

Confronta numeri parte

SPECIFICAZIONI

Processore
Sistema operativo
Schermo
Grafica
Memoria
Archiviazione
Audio
Batteria†
Adattatore di alimentazione
telecamera
Tastiera
Dimensioni
Peso
CONNETTIVITÀ
Porte I/O
WLAN + Bluetooth
Stazione di espansione
SICUREZZA E PRIVACY
FINE DEL SUPPORTO
GARANZIA BASE

20V9003EIX
Intel Core i5-1135G7 (4C / 8T, 2.4 / 4.2GHz, 8MB)
Windows 10 Pro 64, Italian / English
13.3" WQXGA (2560x1600) IPS 300nits Anti-glare, 100% sRGB, Dolby Vision
Integrated Intel Iris Xe Graphics
16GB Soldered LPDDR4x-4266
512GB SSD M.2 2242 PCIe 3.0x4 NVMe
2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones
Integrated 56Wh
65W USB-C
720p with ThinkShutter
Backlit, Italian
Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")
from 1.26kg (2.78lb)

Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole
11ax, 2x2 + BT5.1
Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions
Fingerprint Reader Touch Style ThinkShutter camera privacy cover Kensington Nano security slot

2027-04-30

1-year, Depot

20V9005SIX
Intel Core i7-1165G7 (4C / 8T, 2.8 / 4.7GHz, 12MB)
Windows 10 Pro 64, Italian / English
13.3" WQXGA (2560x1600) IPS 300nits Anti-glare, 100% sRGB, Dolby Vision
Integrated Intel Iris Xe Graphics
16GB Soldered LPDDR4x-4266
512GB SSD M.2 2242 PCIe 3.0x4 NVMe
2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones
Integrated 56Wh
65W USB-C
720p with ThinkShutter
Backlit, Italian
Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")
from 1.26kg (2.78lb)

Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole
11ax, 2x2 + BT5.1
Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions
Fingerprint Reader Touch Style ThinkShutter camera privacy cover Kensington Nano security slot

2027-04-30

1-year, Depot

20V9005UIX
Intel Core i5-1135G7 (4C / 8T, 2.4 / 4.2GHz, 8MB)
Windows 10 Home 64, Italian / English
13.3" WQXGA (2560x1600) IPS 300nits Anti-glare, 100% sRGB, Dolby Vision
Integrated Intel Iris Xe Graphics
8GB Soldered LPDDR4x-4266
512GB SSD M.2 2242 PCIe 3.0x4 NVMe
2x 2W HARMAN stereo speakers with Dolby Audio Dual array microphones
Integrated 56Wh
65W USB-C
720p with ThinkShutter
Backlit, Italian
Width: 299mm (11.77") Depth: 210mm (8.27") Height: 14.9mm (0.59")
from 1.26kg (2.78lb)

Thunderbolt 4 / USB4 40Gbps (with the function of PD 3.0 and DP 1.4), 2x USB 3.2 Gen 1 (one Always On), HDMI 2.0b, Ethernet (RJ45), audio combo jack, security keyhole
11ax, 2x2 + BT5.1
Compatible with Thunderbolt 3 and USB 3.0 & USB-C docking solutions
Fingerprint Reader Touch Style ThinkShutter camera privacy cover Kensington Nano security slot

2027-04-30

1-year, Depot

PERFORMANCE

Processor

Processor Family

11th Generation Intel® Core™ i5 / i7 Processor

Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i5-1135G7	4	8	2.4GHz	4.2GHz	8MB	LPDDR4x-4266	Intel Iris® Xe Graphics
Core i7-1165G7	4	8	2.8GHz	4.7GHz	12MB	LPDDR4x-4266	Intel Iris Xe Graphics

Operating System

- Windows® 10 Home 64
- Windows 10 Pro 64
- No operating system

Graphics

Graphics	Type	Memory	Key Features
Intel Iris Xe Graphics	Integrated	Shared	DirectX® 12

Monitor Support

Supports up to 3 independent displays via native display and 2 external monitors; supports external monitors via HDMI® (up to 3840x2160@60Hz) or Thunderbolt™ (up to 7680x4320@30Hz)

Chipset

Intel SoC (System on Chip) platform

Memory

Memory Type

LPDDR4x-4266

Memory Slots

Memory soldered to systemboard, no slots, dual-channel capable (8GB or 16GB model)

Max Memory

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable

Notes:

- The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage

Storage Support

One drive, 1x M.2 2280 SSD or 1x M.2 2242 SSD

- M.2 2280 SSD up to 1TB
- M.2 2242 SSD up to 512GB

Storage Type

Disk Type	Interface	RPM	Security
M.2 2242 SSD	PCIe NVMe, PCIe 3.0 x4	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	-	-

Removable Storage

Optical

None

Card Reader

No card reader

Multi-Media**Audio Chip**

High Definition (HD) Audio, Realtek® ALC3306 codec

Speakers

- Stereo speakers, 2W x2, Dolby® Audio™, HARMAN-branded
- Stereo speakers, 2W x2, Dolby Audio, HARMAN-branded, Smart AMP

Microphone

Dual array microphone

Camera

720p, with ThinkShutter, fixed focus

Battery**Battery**

Integrated Li-Polymer 56Wh battery, supports Rapid Charge (charge up to 80% in 1hr)

Max Battery Life

MobileMark® 2014: 16 hr

MobileMark 2018: 12.1 hr

Notes:

- All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, and/or JEITA 2.0 battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

- 65W USB-C slim (Wall Mount) AC adapter
- 65W USB-C AC adapter

Notes:

- 65W USB-C Slim (Wall Mount) AC adapter is only available in selected countries

DESIGN**Display****Display**

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
13.3"	WQXGA (2560x1600)	None	IPS	300 nits	Anti-glare	16:10	1000:1	100% sRGB	170°	Dolby Vision™
13.3"	WQXGA (2560x1600)	Multi-touch	IPS	300 nits	Glossy	16:10	1500:1	100% sRGB	170°	Dolby Vision, Low Power
13.3"	WUXGA (1920x1200)	None	IPS	300 nits	Anti-glare	16:10	1000:1	100% sRGB	170°	Dolby Vision
13.3"	WQXGA (2560x1600)	None	IPS	300 nits	Anti-glare	16:10	1500:1	100% sRGB	170°	Dolby Vision, Low Power

Notes:

- California Electronic Waste Recycling Fee
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to <https://www.calrecycle.ca.gov/Electronics/Consumer>

Touchscreen

- Capacitive-type multi-touch, supports 10-point touch
- Non-touch

Input Device

Keyboard

6-row, spill-resistant, multimedia Fn keys

Keyboard Backlight

LED backlight

Touchpad

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP)

Mechanical

Dimensions (WxDxH)

299 x 210 x 14.9 mm (11.77 x 8.27 x 0.59 inches)

Weight

1.26 kg (2.78 lbs)

Case Color

Mineral grey, dual tone design

Surface Treatment

Anodizing sandblasting

Case Material

Aluminium (top), aluminium (bottom)

CONNECTIVITY

Network

Onboard Ethernet

No Ethernet

WLAN + Bluetooth™

Wi-Fi 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

Notes:

- WiFi 6 full features might be limited by country level restrictions
- BT5.1 is supported on Windows 10 version 2004 or above (limited to BT5.0 on earlier version)

Ports

Standard Ports

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x Thunderbolt 4 / USB4™ 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4)
- 1x headphone / microphone combo jack (3.5mm)
- 1x HDMI 2.0b

Notes:

- Depending on many factors, actual data transfer speed may be lower than theoretical speed

SECURITY & PRIVACY

Security

Security Chip

- Discrete TPM 2.0, TCG certified
- Firmware TPM 2.0 integrated in chipset

Physical Locks

Kensington® Nano Security Slot

Fingerprint Reader

Touch style fingerprint reader on smart power button

BIOS Security

- Power-on password
- Supervisor password
- Hard disk password

Other Security

ThinkShutter camera cover

SERVICE

Warranty

Base Warranty

- 1-year depot service
- 1-year depot with 2-year system board service
- 2-year (1-yr battery) depot service

CERTIFICATIONS

Green Certifications

- EPEAT™ Silver
- ENERGY STAR® 8.0
- ErP Lot 3
- RoHS compliant

Other Certifications

Mil-Spec Test

MIL-STD-810G military test passed

Other Certifications

- (Optional) Intel Evo Platform
- TÜV Low Blue Light certified

